

## Water-Steam Washdown Station

### Application

- Fail-safe mixing station safely blends steam and cold water for hot water on demand. Should cold water fail, the steam is instantly shut-off

### Features

- Globe style control valves
- Dial thermometer
- In-line check valves
- 3/4" inlet and outlet
- Mounting plate and hardware for wall mounting

### Material

- Stainless steel hose rack

### Specifications

- Maximum operating pressure: **150 PSI**
- Maximum temperature: **200°F (93°C)**

**Bronze**  
**Part #**

SWDS

### Pressure Requirements

Steam Pressure		Water Pressure	
Minimum <b>80 PSI</b>	Maximum <b>90 PSI</b>	Minimum <b>50 PSI</b>	Maximum <b>80 PSI</b>



Station is not supplied with hose and nozzle

**H**

## Hot and Cold Water Mixing Station

### Features

- Globe style control valves
- In-line check valves
- 3/4" inlet and outlet
- Mounting plate and hardware for wall mounting

### Material

- Stainless steel hose rack

### Specifications

- Maximum operating pressure: **150 PSI**
- Maximum temperature: **200°F (93°C)**

**Bronze**  
**Part #**

WDS1



Station is not supplied with hose and nozzle

## Rack for Mixing Station

### Features

- Supplied with mounting hardware
- Rack fits SWDS and WDS1 mixing stations
- Holds 50' of 3/4" heavy duty industrial grade hose

### Materials

- Stainless steel lag screws
- Solid brass mounting crowns

**Stainless Steel**  
**Part #**

WDSR

